

Assigned OIDs for AttributeTypes

Note
 Do not edit this page if you need to assign one or more OIDs for custom attribute types. Please use the process described in [OpenIDM Assigned OIDs](#) to request OIDs for schema elements.

The base OID for attribute types in the OpenIDM project is "1.3.6.1.4.1.36733.2.3.1". All of the values listed here are below that base OID.

OID	AttributeType Definition	Note
1.3.6.1.4.1.36733.2.3.1.1	(1.3.6.1.4.1.36733.2.3.1.1 NAME 'ds-openidm-compat-mode' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJ plugin')	Used to set compatability mode in OpenDJ sync plugin
1.3.6.1.4.1.36733.2.3.1.2	(1.3.6.1.4.1.36733.2.3.1.2 NAME 'ds-openidm-httpuser' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJ plugin')	Holds the username used for HTTP Basic Auth when notifying OpenIDM of password changes. Optional (both username and password must be present to activate Basic Auth).
1.3.6.1.4.1.36733.2.3.1.3	(1.3.6.1.4.1.36733.2.3.1.3 NAME 'ds-openidm-httppasswd' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJ plugin')	
1.3.6.1.4.1.36733.2.3.1.4	(1.3.6.1.4.1.36733.2.3.1.4 NAME 'fr-idm-link-type' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.5	(1.3.6.1.4.1.36733.2.3.1.5 NAME 'fr-idm-link-qualifier' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.6	(1.3.6.1.4.1.36733.2.3.1.6 NAME 'fr-idm-link-firstid' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.7	(1.3.6.1.4.1.36733.2.3.1.7 NAME 'fr-idm-link-secondid' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.8	(1.3.6.1.4.1.36733.2.3.1.8 NAME 'fr-idm-password' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.9	(1.3.6.1.4.1.36733.2.3.1.9 NAME 'fr-idm-role' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 ORDERING caseIgnoreJsonQueryMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.10	(1.3.6.1.4.1.36733.2.3.1.10 NAME 'fr-idm-json' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.11	(1.3.6.1.4.1.36733.2.3.1.11 NAME 'fr-idm-recon-id' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.12	(1.3.6.1.4.1.36733.2.3.1.12 NAME 'fr-idm-recon-targetId' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	

1.3.6.1.4.1.36733.2.3.1.13	(1.3.6.1.4.1.36733.2.3.1.13 NAME 'fr-idm-managed-user-json' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatchManagedUser ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.14	(1.3.6.1.4.1.36733.2.3.1.14 NAME 'fr-idm-accountStatus' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.15	(1.3.6.1.4.1.36733.2.3.1.15 NAME 'fr-idm-effectiveRole' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.16	(1.3.6.1.4.1.36733.2.3.1.16 NAME 'fr-idm-effectiveAssignment' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.17	(1.3.6.1.4.1.36733.2.3.1.17 NAME 'fr-idm-kbaInfo' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.18	(1.3.6.1.4.1.36733.2.3.1.18 NAME 'fr-idm-lastSync' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.19	(1.3.6.1.4.1.36733.2.3.1.19 NAME 'fr-idm-preferences' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.20	(1.3.6.1.4.1.36733.2.3.1.20 NAME 'fr-idm-idpData' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.21	(1.3.6.1.4.1.36733.2.3.1.21 NAME 'fr-idm-termsAccepted' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.22	(1.3.6.1.4.1.36733.2.3.1.22 NAME 'fr-idm-lastChanged' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.23	(1.3.6.1.4.1.36733.2.3.1.23 NAME 'fr-idm-consentedMapping' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.24	attributeTypes: (1.3.6.1.4.1.36733.2.3.1.24 NAME 'fr-idm-cluster-json' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatchClusterObject ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.25	attributeTypes: (1.3.6.1.4.1.36733.2.3.1.13 NAME 'fr-idm-managed-role-json' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatchManageRole ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJRepoService')	
1.3.6.1.4.1.36733.2.3.1.26	attributeTypes: (1.3.6.1.4.1.36733.2.3.1.26 NAME 'fr-idm-relationship-json' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatchRelationship ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM OpenDJRepoService')	

1.3.6.1.4.1.36733.2.3.1.32	(1.3.6.1.4.1.36733.2.3.1.32 NAME 'fr-idm-user' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 ORDERING caseIgnoreJsonQueryMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.33	(1.3.6.1.4.1.36733.2.3.1.33 NAME 'fr-idm-privilege' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 ORDERING caseIgnoreJsonQueryMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.34	(1.3.6.1.4.1.36733.2.3.1.34 NAME 'fr-idm-name' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.35	(1.3.6.1.4.1.36733.2.3.1.35 NAME 'fr-idm-condition' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.36	(1.3.6.1.4.1.36733.2.3.1.36 NAME 'fr-idm-syncqueue-syncaction' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.37	(1.3.6.1.4.1.36733.2.3.1.37 NAME 'fr-idm-syncqueue-resourcecollection' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.38	(1.3.6.1.4.1.36733.2.3.1.38 NAME 'fr-idm-syncqueue-resourceid' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.39	(1.3.6.1.4.1.36733.2.3.1.39 NAME 'fr-idm-syncqueue-mapping' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.40	(1.3.6.1.4.1.36733.2.3.1.40 NAME 'fr-idm-syncqueue-objectrev' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.41	(1.3.6.1.4.1.36733.2.3.1.41 NAME 'fr-idm-syncqueue-oldobject' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.42	(1.3.6.1.4.1.36733.2.3.1.42 NAME 'fr-idm-syncqueue-newobject' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.43	(1.3.6.1.4.1.36733.2.3.1.43 NAME 'fr-idm-syncqueue-context' SYNTAX 1.3.6.1.4.1.36733.2.1.3.1 EQUALITY caseIgnoreJsonQueryMatch ORDERING caseIgnoreOrderingMatch X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.44	(1.3.6.1.4.1.36733.2.3.1.44 NAME 'fr-idm-syncqueue-state' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.45	(1.3.6.1.4.1.36733.2.3.1.45 NAME 'fr-idm-syncqueue-nodeid' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
1.3.6.1.4.1.36733.2.3.1.46	(1.3.6.1.4.1.36733.2.3.1.46 NAME 'fr-idm-syncqueue-remainingretries' SYNTAX 1.3.6.1.4.1.1466.115.121.1.27 SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	

1.3.6.1.4.1.36733.2.3.1.47	(1.3.6.1.4.1.36733.2.3.1.47 NAME 'fr-idm-syncqueue-createdate' SYNTAX 1.3.6.1.4.1.1466.115.121.1.15 ORDERING caseIgnoreOrderingMatch SINGLE-VALUE X-ORIGIN 'OpenIDM DSRepoService')	
----------------------------	--	--